

BEST MANAGEMENT PRACTICES (BMPs)

A BMP is a method used to prevent or control stormwater runoff.

Construction entrances must be maintained to prevent offsite tracking to Maximum Extent Practical (MEP).

Concrete washout must be controlled and kept onsite in area noted on site plan.

Silt fences and other detention BMP's shall be maintained and not vary from the plan. Changes including removal or relocation must be noted on plan and inspection record.

The erosion control site plan must be updated to reflect the site.

CITY OF JONESBORO

Engineering Department
300 S. Church St. Suite 300
PO Box 1845
Jonesboro, AR 72403

Phone: 870-932-2438

Fax: 870-933-4664

E-mail: rgibson@jonesboro.org

FINES & PENALTIES



There is a fine of \$100 to \$500 per day for so long as the violation or violations exist. Each day shall constitute a separate offense. Revocation; Stop Work Order: The City Engineer may revoke any permit issued.

Any non-permitted stormwater management system, or construction, or fill located within a floodplain shall, upon written notice, be removed at the expense of the Developer / Contractor.

The Developer / Contractor may appeal a stop work order in writing to the Secretary of the Stormwater Management Board or his or her designee within 30 days after service of the stop work order.

All subcontractors who work under the direction of the general contractor are the responsibility of the general contractor. All fines due to violations can be levied against the subcontractor, contractor and / or owner.

It is the general contractor's and / or owners responsibility to ensure subcontractor's receive this information prior to beginning work in the City of Jonesboro.



CITY OF JONESBORO

Construction Storm Water Information



**Contact the Stormwater Manager
for more information:
Tel: 870-336-7111**

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

The SWPPP is a working document that must be followed and maintained.

- Keep a signed copy of your SWPPP on site and update it regularly
- Implement all parts of your SWPPP throughout the project
- Properly train all involved contractors
- Correctly install and maintain Best Management Practices (BMPs) for sediment control
- Perform timely inspections and correct problems
- Maintain complete records of all SWPPP activities
- **NEVER** discharge muddy water, sediment, or other pollutants from the site

TRASH REMOVAL

Trash receptacles must be utilized at all times, covered and emptied when full. The silt fences are to maintain runoff, not to collect your trash. All debris must be removed from fences and site daily. The result of non-compliance is a Notice of Violation (NOV).

*Keep the site
picked up!*

SILT FENCES

- Make sure the bottom of the silt fence is buried in the ground
- Securely attach the material to the stakes
- Inspect and maintain silt fences after each rain event
- Make sure stormwater is not flowing around or under the silt fence

CONSTRUCTION DEBRIS

It is a violation of the Storm Water Pollution Prevention Plan (SWPPP) to leave debris on site. All scrap or soil storage will be maintained to prevent construction debris from leaving the site. Runoff of soil or debris is unacceptable and will result in a NOV!



Debris at construction site

STABILIZE THE SITE

- Plant, mulch, or otherwise stabilize all exposed areas as soon as land alterations have been completed
- Stabilize areas where construction has stopped, even temporarily. Install stabilization measures within 14 days of stopping construction in an area
- Sequence construction activities so soil is not exposed for long periods of time
- Schedule landscaping for immediately after the land has been graded to its final contour
- Preserve vegetative buffers around site perimeter and local waterways